

HIGH-SPEED COLOR DOCUMENT SYSTEMS



MX-7081 MX-8081



The high-performance MX-7081/8081 encompass brilliant, consistent color quality with advanced workflow efficiency.

SUPERIOR CAPABILITY, INTUITIVE WORKFLOW, DYNAMIC OPERATION

The Sharp MX-7081 and MX-8081 color document systems are designed using the latest technology available to deliver the performance, features and reliability needed in today's busy workplace. Built for high-volume environments, central reprographics departments and copy rooms, these new document systems are complemented with robust paper handling and productive output capabilities, once found only in commercial print facilities. These new models also offer leading-edge security features to help businesses protect their data and personal information.

Sharp's next generation Color Consistency System helps ensure brilliant color output, page-after-page and job-after-job, for repeatable, high-quality results. Businesses can rest assured that producing professional-looking color documents in house can be easier and more economical than ever before.

Key Features

- Ease of Use Award-winning touchscreen display with intuitive menu navigation combined with alternative touchless operation capabilities for basic copying, scanning and print release.
- Productive Features Full multifunction capability out-of-box, including copying, network printing
 and color network scanning. Adobe Embedded Print Engine technology natively processes PDF files from
 a wide variety of sources, delivers peak performance and provides superior rendering accuracy.
- Advanced Color Workflow The latest MX-PE15 Fiery[®] Print Server is available for corporate offices, CRDs and in-plant printing facilities that require precision color control and job management.

The MX-7071 and MX-8081 high speed color document systems are also easy to use and offer enhanced productivity, all to provide customers with a seamless, intuitive experience and the confidence in knowing their jobs will come out right the first time, every time.



POWERED BY Adobe Embedded Print Engine

MORE FEATURES, POWERFUL PRODUCTIVITY, GREATER RESULTS



HIGH RESOLUTION COLOR TOUCHSCREEN

PRODUCTIVITY PLUS QUALITY AND EFFICIENCY

AVAILABLE FIERY® PRINT SERVER



A powerful, smart MFP that transforms office productivity and helps meet the demands of highvolume office customers.

- 300-sheet Duplex Single Pass Feeder (DSPF) scans documents at up to 240 images per minute.
- Scan Preview feature offers on-the-fly page editing with easy fingertip navigation.
- Triple air-feed paper handling option offers high reliability and is virtually maintenance-free.
- The available Sharp **MFP Voice** feature enables users to control the device with simple verbal commands. Experience hands-free, voice-first interaction with **Amazon Alexa**.



- PANTONE Licensing offers unprecedented levels of color fidelity to the PANTONE MATCHING SYSTEM[®]
- Offers 8,500-sheet maximum paper capacity and media support up to 110 lb. cover stock (300 gsm).
- High-performance print controller with included PCL[®]6 and Adobe[®] PostScript[®]3[™].
- True **1,200 x 1,200 dpi** printing provides beautiful images and enhanced clarity for fine details such as small text and graphics.
- The Sharp **Color Consistency System** with next generation image process control delivers high quality color output and maintains optimum color balance and toner density page after page.
- Easily access popular cloud applications, including Microsoft[®] OneDrive[®] for Business, SharePoint[®] Online, Box and Google Drive[™], with the Sharp Cloud Connect feature.
- Standard Job Management features make it easy to print on-demand as well as view jobs, retain jobs, combine jobs, select print settings and more.
- Supports the Sharp OSA development platform, enabling businesses to easily integrate with network applications and cloud services.
- Compact PDF feature dramatically reduces the file size of scanned color documents, resulting in decreased network traffic and more efficient use of disk and cloud storage.
- Convenient End-of-Lease feature can erase all files on the hard disk drive, all user data, job status
 data and address book data at trade-in time.




FLEXIBLE DESIGN ENABLES INTELLIGENT FUNCTIONALITY



MX-8081 shown with available Sharp MFP Voice feature with Amazon Alexa.



High capacity 300-sheet DSPF with 150-business card feeder for increased efficiency and scanning capabilities.



Triple air-feed LCT paper trays maximize reliability and minimize downtime. Pneumatic sensors maintain consistent air flow.



With the MX-PE15 Fiery Print Server, achieve higher productivity and consistent color quality.

From intuitive navigation to unsurpassed productivity, these MFPs are equipped to deliver optimum results.

Simple and Intuitive Operation

The new MX-7081/8081 high-speed color document systems feature the latest 10.1¹ (diagonally measured) high-resolution touchscreen with signature **retractable keyboard** for unmatched ease-of-use. Using the latest touchless technology, you can operate these models by simple voice commands with Amazon Alexa on the MFP, and print release, copy and scan jobs with Synappx[™] Go on your personal device.



Sharp Synappx Family Innovation Award

A "Well-connected" Device

Connecting a multifunction printer (MFP) to your wireless network and accessing it from mobile devices has never been so easy with the MX-7081/8081 standard wireless networking features. Print from or scan to popular cloud services such as **Microsoft OneDrive for Business**, **SharePoint Online**, and **Google Drive** with the Sharp **Cloud Connect** feature. **Single Sign-on** (SSO) support for accessing these services makes scan-to-folder and scan-to-email operations simpler than ever. Even printing from your desktop is made easier with Sharp's **Serverless Print Release** function. **Easily send a job to one device, and print it on another** when and where it's most convenient for you.

Robust Paper Handling for Busy High-Volume Environments

Sharp understands the importance of productivity, that's why the new MX-7081/8081 high-speed color document systems offer up to **8,500-sheet paper capacity** and support **media weights**

up to **110 lb. cover** (300 gsm). The Sharp exclusive paper feed option uses **air-feed technology**, which maximizes reliability and minimizes down time. The triple air-feed system directs air flow with precision accuracy to ensure proper paper handling. Also, to help drive productivity, a standard 300-sheet dual head document feeder can scan up to 240 images per minute.



The MX-PE15 Fiery[®] Print Server – an advanced solution for efficient print production.

Improve Document Production with Best-in-class Processing and Timesaving Workflow

The Fiery MX-PE15 print server can produce professional, finished documents in less time with easy-to-use job management tools. Operators can use Fiery Command WorkStation[®], the **powerful, intuitive job management interface**, to set up and print complex jobs in-house, regardless of their experience.

- Print faster, smarter and seamlessly turn in-house printing into a professional operation
- Achieve unparalleled image and color quality ensure consistent reproduction of your brand
- Add value and impact customize your output with variable data printing capabilities

Add the optional Fiery Automation Package to gain a touchless job submission workflow and professional preflight tools.

The MX-7081/8081 high-speed color document systems provide high performance, high functionality and high efficiency to exceed your business needs.

High Quality Printing

1,200 x 1,200 dpi resolution produces razor-sharp documents. Adobe[®] PostScript[®] 3™ drivers offer extensive job control.

Saddle Stitch

Finishers Make high quality booklets up to 80-pages long.

Post Sheet Inserter Duplexing Single Pass Produce professional

Feeder (DSPF) Standard 300-sheet looking documents with pre-printed covers and dual head document feeder scans both sides chapter inserts with the available post sheet of a document in a inserter. single pass.

.....

Business Card Scanning

OCR scans up to 150 business cards with the DSPF and export them to a contact management system.

Easy-to-Use Smart Touchscreen

Tablet-style menu provides quick access to features and functions.

Built-in Retractable Keyboard Full-size QWERTY keyboard enables easy data entry.

Toner Hopper Lets you change toner on-the-fly to help maximize productivity.

Optional MX-PE15

Based on the latest Fiery FS400 Pro system software platform, the Fiery Server delivers performance-boosting features that shorten turnaround times.

Color

Consistency

System

Multi-Folding Unit

Provides a variety of folds, including Z-fold, C-fold, Accordion-fold, Double-fold and Half-fold.

3,100-Sheet Standard Versatile GBC® SmartPunch Pro™ Paper Capacity Professional punching Includes a 2,000-sheet system produces up

letter size tandem tray, two 500-sheet letter/ legal/ledger size trays that feed media up to 300 gsm and a 100-sheet bypass tray.

Multi-layered Security Features

Leading-edge security features provide enhanced protection of data and personal information and helps protect against network intrusions.

Superior Media Handling

Sharp's 5,000-sheet large capacity paper tray option utilizes triple air-feed technology, which directs air flow with precision accuracy for proper paper handling and enhanced media support up to 300 gsm.

Micro-Fine Toner Technology

Developer Auto Refresh Process Real-Time **Process Control**

Sharp's Color Consistency System

to seven commonly

used punch styles for

creating professional

bound booklets.

Combines Micro-fine toner with Developer Refresh and advanced Image Process Control. These processes help ensure color output is always at peak performance.

Convenient Job Management

1TB hard disk drive provides on-board document storage. An intuitive thumbnail view makes it easy to select, edit, reprint, repaginate and more.

Easily Access Popular Cloud Applications

With the Cloud Connect feature, users gain access to Microsoft OneDrive, Google Drive, Dropbox and more. The Sharp Application Portal makes it easy for administrators to add or update apps right from the MFP.



SMARTER COLLABORATION TO ENHANCE AND STREAMLINE WORKFLOWS



Access popular cloud applications, distribute files and print documents more easily.



Scan and convert documents to popular file types seamlessly with the Sharp built-in OCR function.



Standard Serverless Print Release enables users to securely print a job and release it from up to six supported models on the same network.

Optimize productivity with powerful document workflow solutions that help you work more efficiently.

Distribute, Access and Print Your Documents with Ease

Sharp makes it easy to go beyond traditional network scanning with standard Email Connect and Cloud Connect features. With Email Connect, scan to email is seamlessly integrated with

Microsoft Exchange/Office 365[®] and Gmail[™] user accounts, making it easy to identify the sender of scanned files. With Cloud Connect, users can easily scan to and print from Microsoft OneDrive for Business, SharePoint Online, Google Drive, Box and Dropbox. And with the Sharp Application Portal, administrators can easily add new apps and update existing apps right from the MFP touchscreen panel.



Scan and Print Files Easily from Mobile Devices

The MX-7081/8081 high-speed color document systems also make it easy to scan and print files from tablets and smartphones using Sharpdesk Mobile, a free downloadable app available for most mobile devices.* These new models also support popular mobile technologies such as Apple[®] AirPrint[®]. With standard wireless networking, users can also print directly to the MFP from mobile devices without interfering with the corporate network!

Simplify Managing Different File Types with Intelligent Image Processing

With standard OCR capabilities, users can easily scan and convert documents to popular file formats including Microsoft Word, PowerPoint and Excel, as well as Searchable PDF, Encrypted PDF and others. You can even directly print these same file types from thumb drives, cloud applications and mobile devices. This function is enabled via Qualcomm DirectOffice technology. These new models also support Adobe Embedded Print Engine technology, which direct prints PDF files from a variety of sources with greater performance and rendering accuracy.

Flexible Printing Solutions Help Maximize Productivity

The Sharp Serverless Print Release feature enables users to securely print a job and release it from up to six supported models on your network. And with support for Universal Print from Microsoft, you can easily print from anywhere when connected to the network. Universal Print allows IT administrators to manage printers through a cloud-based centralized portal.

Simplify Complex Business Workflows with Sharp OSA® Technology

Sharp OSA technology can help your business leverage the power of your network applications, back-end systems and cloud services. Easily automate complex processes and help eliminate redundant tasks. Talk to your authorized Sharp dealer to see how they can help you implement a streamlined workflow solution.

Manage your device, help safeguard your data.

To help protect employees' privacy and intellectual property, the new MX-7081/8081 are armed with leading-edge, multi-layered security features, including Firmware Attack Prevention and Self Recovery, which can help identify a malicious intrusion and restore the machine firmware to its original state. The new Whitelisting feature detects access attempts to the machine file system and denies access if the source data is not on the whitelist. Authority Groups help manage and restrict copying, printing and scanning features to safeguard data and control costs. Administrators can also apply Active Directory[®] Group Policy to the device, which offers centralized configuration and control. Confidential Printing helps ensure sensitive documents are kept safe by requiring users to enter a PIN code

to print them. These models also support Active Directory user authentication and secure Single Sign-on. Integrated ID card authentication is also available.* When you are ready to trade the machine in, a convenient End-of-Lease feature can erase all data and personal information, as well as print a confirmation report.

These scalable security offerings aim to help protect your confidential and personal information, as well as help your business meet regulatory requirements. For additional information visit: www.sharpusa.com/security.

* Some features require optional equipment and/or software



With Sharp Remote Device Manager (SRDM), administrators can take control of system features and simplify installation and management. SRDM makes it easy to view service logs, click counts, history reports and more. Event-driven service alerts help monitor the device and maximize uptime. The centrally managed security dashboard monitors security settings and can automatically reset the security policy if changed locally at the machine. Also, Centralized Admin Password Management and Centralized Power Management make it easy to deploy changes when needed. The Remote Front Panel feature enables administrators to control the machine's LCD panel from a PC to troubleshoot issues and train operators. Sharp also offers both built-in and additional auditing hardware and software to control,

access and track usage of each device on the network.* And with My Sharp[™], you get a dedicated training website customized to these models to help you understand all of the features.





ENVIRONMENTAL COMMITMENT

An Environmentally Responsible Approach to Product Design

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-oflife management. The MX-7081/8081 adhere to the Sharp Green Products Guidelines in pursuit of these commitments. These guidelines include designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used. Sharp also aims to design products that are upgradable, easy to repair and easy to take apart for recycling.

The MX-7081/8081 document systems are ENERGY STAR[®] qualified and RoHS compliant to restrict the use of hazardous substances. These products also have low TEC values. Sharp MFPs are EPEAT[®] registered.





Toner Recvcling Program

As part of our commitment to help preserve the environment, Sharp offers zero-waste-to-landfill recycling for Sharp consumables at no cost to our customers. This program includes cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing them with a pre-paid recycling kit for their return to our facility.

SmartWay

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the ENERGY STAR annual Excellence in Energy Proficiency Product Design. Sharp is also a multi-year winner of the SmartWay[®] Excellence Award which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation.

For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit www.sharpusa.com/environment.

MX-7081/8081 SPECIFICATIONS

Main Creations (contin

Main Specification	IS
MX-7081/8081	Base models include 300-sheet DSPF, 2,000-sheet tandem
	paper drawer, (2) 500-sheet paper drawers, 100-sheet bypass
	tray, 1-TB hard disk drive, PCL 6 and Adobe PostScript 3 network printing, network scanning, retractable keyboard,
	application integration and external accounting modules. Black
	and color developer is included.
Туре	Color multi-function digital document system
Display	10.1" (diagonally measured) color dot matrix high-resolution
Functions	touch panel tilting display. 1,024 x 600 dots (W-SVGA) Copy, print, network print, network scan, document filing and fax ¹
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic
	brush development/OPC drums/Belt fusing/white LED exposure
Originals	Sheets and bound documents
Max. Original Size	11" x 17"
Copy Size Copy Speed	Min. 5½" x 8½", Max. 13" x 19.2" MX-7081: 75/70 ppm Mono/Color
(8½" x 11")	MX-8081: 80/80 ppm Mono/Color
Multiple Copy	Max. 9,999 copies
First Copy Time	MX-7081 MX-8081
(in seconds) ²	Mono Color Mono Color
	Platen Glass 4.0 5.6 3.7 5.1
Warm-up Time ²	DSPF 6.5 9.2 6.3 8.8 66 seconds from main power switch on, 55 seconds
	from [Power] button on
Magnification	25% to 400% in 1% increments (with document feeder 25%-200%)
Original Feed	300-sheet/150-business card DSPF
Scan Speed	Copy: Up to 240 ipm (Mono)/120 ipm (Color)
Original Sizes	Scan: Up to 240 ipm (Mono/Color) 5½ x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17"
Paper Capacity	Standard: 3,100 Sheets/Maximum: 8,500 Sheets
Paper Feed	Standard: Tandem Tray 1 - 1,200 sheets (letter size), Tandem
System	Tray 2 - 800 sheets (letter size), Trays 3/4 - 500 sheets ea.
	(letter/legal/ledger/statement/12" x 18"). Multi-bypass Tray
	(for machine) - 100 sheets (letter/legal/ledger/statement/
	monarch or COM10 envelopes/12" x 18"), Multi-bypass (for LCT) - 500 sheets (letter/legal/ledger/statement/12" x 18"), LCT
	(2-Drawer) - 2,500 sheets each drawer (letter/legal/ledger/
	12" x 18"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000
	sheets (letter/legal/ledger).
Paper Weights	Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 110 lb.
and Types	cover, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb.
	cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 80 lb. cover, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/Ledger
	LCC - 16 lb. bond to 80 lb. cover. Supported paper types include
	thin, plain, recycled, color, letterhead, pre-printed, pre-punched,
	embossed, glossy and OHP film.
Duplexing CPU	Standard automatic duplex copying and printing
Interface	Up to 1.4 GHz multi-processor controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports,
Internatio	front and rear), USB 2.0 (1 device port), wireless 802.11 b/g/n
Memory	Standard 6 GB
Hard Disk Drive	1 TB
Copy Resolution	Scan: 600 x 600 dpi (Mono/Color); Output: Up to 1,200 x 1,200 dpi
Color Modes	(Mono), up to 600 x 600 dpi (Color) Auto Color Selection (ACS), Full Color, Grayscale, Monochrome
Exposure Control	Text, Text/Photo, Text/Printed-Photo, Printed-Photo,
Modes	Photo, Map, Pale-Color. Settings: Auto or 5 step manual
Halftone	256 gradations/2 levels (monochrome)
Copy Features	Scan once print many, electronic sorting, offset-stacking, Auto
	Color Sensing, Auto Paper Selection (APS), Auto Magnification
	Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase,
	centering, cover pages, dual page copy, edge erase, image edit,
	image preview, insert pages, job build, job programs, margin shift,
	mirror image, mixed size original, multi-page enlargement, original
	count, pamphlet style, proof copy, repeat layout, reserve copy,
	rotated copy, stamp, stamp custom image, suppress background,
	tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot.
Account Control	Up to 1,000 users. Supports user-number authentication via
	local, LDAP and Active Directory for copy, print, scan and
	document management.
Cloud Supported	Google Drive, OneDrive for Business, SharePoint, Box, Dropbox,
Services Network Protocols	Office 365, Gmail TCP/IP (IPv4, IPv6, IPsec), HTTP/HTTPS, IPP/IPP-SSL, FTP/TFPS,
HOLWORK FIULUCUIS	SNMPv3, SMTP/SMTP-SSL, P0P3/P0P3-SSL, LDAP/LDAP-SSL,
	802.1x for Windows and Unix.

Weight Dimensions	Includes IP/MAC address filtering, protocol filtering, port control, user authentication (local/LDAP/Active Directory), TLS Encryption, Kerberos support, data encryption, End-of-Lease, data overwrite (up to 10x), DoD 5220.22-M Flash ROM with local (USB), network update capability and firmware update 1 to N with SRDM (Sharp Remote Device Management) Web-based management with user/administrator level login Remote front panel, remote access to service logs and click counts Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 Wor less Approx. 461 lbs. Approx. 33/*" (w) x 33/*" (d) x 49" (h)	Type Output Tray Stapling Mc Stapling Mc Stapletes F Manual Sta 3K 65-Shee Type Output Tray Stapling Mc Stapling Mc Stapling Po Stapling Po
Firmware Wanagement Device Setup Service/Functions Accessibility Features Environmental Standards Power Source Power Consumptio Weight Dimensions	Encryption, Kerberos support, data encryption, End-of-Lease, data overwrite (up to 10x), DoD 5220.22-M Flash ROM with local (USB), network update capability and firmware update 1 to N with SRDM (Sharp Remote Device Management) Web-based management with user/administrator level login Remote front panel, remote access to service logs and click counts Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle Maximum: 2,880 W or less Approx. 461 lbs.	Stapling Ca Stapling Me Stapling Po Stapleess F Manual Sta 3K 65-Shee Type Output Tray Stapling Ca Stapling Me Stapling Po
Management Device Setup Service/Functions Accessibility Features Environmental Standards Power Source Power Consumptio Weight Dimensions	data overwrite (up to 10x), DoD 5220.22-M Flash ROM with local (USB), network update capability and firmware update 1 to N with SRDM (Sharp Remote Device Management) Web-based management with user/administrator level login Remote front panel, remote access to service logs and click counts Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	Stapling Me Stapling Po Stapleless F Manual Sta 3K 65-Shee Type Output Tray Stapling Ca Stapling Me Stapling Po
Management Device Setup Service/Functions Accessibility Features Environmental Standards Power Source Power Consumptio Weight Dimensions	Flash ROM with local (USB), network update capability and firmware update 1 to N with SRDM (Sharp Remote Device Management) Web-based management with user/administrator level login Remote front panel, remote access to service logs and click counts Free stop titling front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	Stapling Mo Stapling Po Stapleless I Manual Sta 3K 65-Shee Type Output Tray Stapling Ca Stapling Mo Stapling Po
Management Device Setup Service/Functions Accessibility Features Environmental Standards Power Source Power Consumptio Weight Dimensions	and firmware update 1 to N with SRDM (Sharp Remote Device Management) Web-based management with user/administrator level login Remote front panel, remote access to service logs and click counts Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle Maximum: 2,880 W or less Approx. 461 lbs.	Stapling Po Stapleless F Manual Sta 3K 65-Shee Type Output Tray Stapling Ca Stapling Mo Stapling Po
Device Setup Service/Functions Accessibility Features Environmental Standards Yower Source Yower Consumptio Weight Dimensions	Device Management) Web-based management with user/administrator level login Remote front panel, remote access to service logs and click counts Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	Stapleless F Manual Sta 3K 65-Shee Type Output Tray Stapling Ca Stapling Me Stapling Po
Service/Functions Accessibility eatures Environmental Standards Power Source Power Consumptio Weight Dimensions	Web-based management with user/administrator level login Remote front panel, remote access to service logs and click counts Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	Manual Sta 3K 65-Shee Type Output Tray Stapling Ca Stapling Me Stapling Po
Service/Functions Accessibility eatures Environmental Standards Power Source Power Consumptio Weight Dimensions	Remote front panel, remote access to service logs and click counts Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	3K 65-Shee Type Output Tray Stapling Ca Stapling Me Stapling Po
Accessibility eatures Environmental Standards Power Source Power Consumptio Weight Dimensions	click counts Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	Type Output Tray Stapling Ca Stapling Me Stapling Po
Environmental Standards Power Source Power Consumptio Weight Dimensions	Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle Maximum: 2,880 W or less Approx. 461 lbs.	Type Output Tray Stapling Ca Stapling Me Stapling Po
Environmental Standards Power Source Power Consumptio Weight Dimensions	and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	Output Tray Stapling Ca Stapling Me Stapling Po
Environmental Standards Power Source Power Consumptio Veight Dimensions	programs, remote front panel, universal grip for paper trays, and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	Stapling Ca Stapling Me Stapling Po
Standards Power Source Power Consumptio Neight Dimensions	and disable screen timeout International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	Stapling Me Stapling Po
Standards Power Source Power Consumptio Neight Dimensions	International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	Stapling Me Stapling Po
Standards Power Source Power Consumptio Neight Dimensions	Blue Angel (DE-UZ205) 208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	Stapling Me Stapling Po
Power Source Power Consumptio Neight Dimensions	208-240V AC, 60 Hz, 20 A Receptacle n Maximum: 2,880 W or less Approx. 461 lbs.	Stapling Po
Power Consumptio Neight Dimensions	n Maximum: 2,880 W or less Approx. 461 lbs.	
Weight Dimensions	Approx. 461 lbs.	Saddlo Stit
Dimensions		ouuur olli
	Approx. 33¼" (w) x 33¼" (d) x 49" (h)	Max. Sets
Johnson L. Deinsting		
Induced Deinding		Stapleless I
Network Printing	System	Manual Sta
PDL	Standard PCL 6, Adobe PostScript 3	
Resolution	1,200 x 1,200 dpi	Optional Ec
Print Speed	MX-7081: 75/70 ppm Mono/Color	MX-LC12
8½" x 11")	MX-8081: 80/80 ppm Mono/Color	MX-LC13N
Print Drivers	Windows 8.1, Windows 10, Windows Server® 2012, Windows	MX-LCX3N
	Server 2016, Windows Server 2019, Windows PPD, macOS X®	MX-LT10
	(including 10.9 to 10.15), all MAC PPD, Linux® PPD, Universal	MX-MF11
	Print (requires Microsoft connector)	MX-FN21
Mobile Printing	AirPrint, Sharpdesk Mobile, Synappx Go	MX-FN22
Print Features	Auto configuration, serverless print release, bar code font	MX-FN34
Till I Calul CS		
	printing, carbon copy print, chapter inserts, color adjustment	MX-FN35
	settings, color mode, confidential print, continuous printing,	MX-GBCX2
	custom image registration, different cover page/last page/	MX-CF11
	other page, document control, document filing, duplex printing,	MX-FD10
	electronic sorting, folding, form overlay, hidden pattern print,	MX-RB12N
	image rotation, image stamp, image type, job bypass print,	MX-RB13
	job retention, layout print, margin shift, multiple pamphlet,	MX-RB14
	network tandem print, N-up printing, offset stacking, page	MX-RB27
	interleave, pamphlet style, poster print, proof print, print and	MX-TM10
	send, punching, stapling, tab paper print, tab printing, toner	MX-PN13B
	save mode, transparency inserts, tray status, user authentication,	MX-PN16B
	watermarks, zoom print	MX-SC11
Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF,	MX-SC12
	Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG.	MX-SCX1
	Methods: FTP, SMB, Web page, Email and USB memory. PDF file	MX-SCX2
	formats supported by the Adobe Embedded Print Engine.	MX-TR14
Resident Fonts	80 outline fonts (PCL), 139 fonts (PS)	MX-TU14
nterface	RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless	AR-SU1
	Windows 8.1, Windows 10, Windows Server 2012, Windows	AR-SV1
and Environments		MX-PF10
winting Destant's	10.9-10.15, Unix [®] , Linux, Citrix [®] , SAP device types ³	MX-FWX1
rinning Protocols		MX-FX15
	anu h11P	MX-AMX1L
		MX-FR65U
		MX-PE15
Vetwork Scanning	Standard: Color, monochrome, grayscale	MX-PX15
Scan Modes		MX-SL10N
Scan Modes Max. Original Size		DVENDFSV
Scan Modes Max. Original Size Optical Resolution	600 dpi	DVENUDI 3V
Scan Modes Max. Original Size	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi	DAFIADI 3A
Scan Modes Max. Original Size Optical Resolution	600 dpi	Supplies
Scan Modes Max. Original Size Optical Resolution Dutput Modes	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi	Supplies
Scan Modes Max. Original Size Optical Resolution Dutput Modes	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF,	Supplies MX-80NTB/
Scan Modes Max. Original Size Optical Resolution Dutput Modes	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF.	Supplies MX-80NTB/ MX-80NTC/
Scan Modes Max. Original Size Optical Resolution Dutput Modes	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DDCX, TXT, RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted	Supplies MX-80NTB/ MX-80NTC/ MX-80NTM
Scan Modes Max. Original Size Optical Resolution Dutput Modes	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX,	Supplies MX-80NTB/ MX-80NTC/ MX-80NTM MX-80NTY/
Scan Modes Max. Original Size Dptical Resolution Dutput Modes mage Formats mage	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Internet Fax: TIFF-FX, TIFF-F3, TIFF-S1 Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)	Supplies MX-80NTB/ MX-80NTC/ MX-80NTM/ MX-80NTY/ MX-62NVB/
Scan Modes Max. Original Size Dptical Resolution Dutput Modes mage Formats	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Internet Fax: TIFF-FX, TIFF-F, TIFF-S1' Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low)	Supplies MX-80NTB/ MX-80NTC/ MX-80NTM MX-80NTY/ MX-62NVB/ MX-62NVS/
Scan Modes Wax, Original Size Optical Resolution Dutput Modes mage Formats mage Compression	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Internet Fax: TIFF-FX, TIFF-F, TIFF-51' Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option)'	Supplies MX-80NTB/ MX-80NTC/ MX-80NTM MX-80NTY/ MX-62NVB/ MX-62NVS/ MX-62NVS/ MX-62NRS/
Scan Modes Max. Original Size Dptical Resolution Dutput Modes mage Formats mage	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Internet Fax: TIFF-FX, TIFF-F, TIFF-S1' Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option)' Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option),	Supplies MX-80NTB/ MX-80NTC/ MX-80NTM MX-80NTY/ MX-62NVB/ MX-62NVS/ MX-62NVS/ MX-62NRS/
Scan Modes Wax. Original Size Optical Resolution Dutput Modes mage Formats mage Compression Scan Destinations	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Internet Fax: TIFF-FX, TIFF-S1' Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option)' Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option), Super G3 fax (option)	
Scan Modes Wax. Original Size Dptical Resolution Jutput Modes mage Formats mage Compression Scan Destinations Dne-touch	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Internet Fax: TIFF-FX, TIFF-F, TIFF-S1' Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option)' Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option),	Supplies MX-80NTB/ MX-80NTC/ MX-80NTM MX-80NTY/ MX-62NVB/ MX-62NVS/ MX-62NVS/ MX-62NRS/
Scan Modes Wax. Original Size Dptical Resolution Jutput Modes mage Formats Compression Scan Destinations Dne-touch Destinations	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Internet Fax: TIFF-FX, TIFF-F, TIFF-S1 ¹ Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) ¹ Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option), Super G3 fax (option) Up to 2,000 (combined scan destinations)	Supplies MX-80NTB/ MX-80NTC/ MX-80NTM MX-80NTY/ MX-62NVB/ MX-62NVS/ MX-62NVS/ MX-62NRS/
Scan Modes Wax. Original Size Dptical Resolution Dutput Modes mage Formats Compression Scan Destinations Scan Destinations Group Destinations	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Internet Fax: TIFF-FX, TIFF-F, TIFF-S1' Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax: mode: MH/MMR (option)' Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option), Super G3 fax (option) Up to 2,000 (combined scan destinations) s Up to 500	Supplies MX-80NTB/ MX-80NTC/ MX-80NTY/ MX-80NTY/ MX-62NVB/ MX-62NVS/ MX-62NRS/
Scan Modes Wax. Original Size Dptical Resolution Jutput Modes mage Formats Compression Scan Destinations Dne-touch Destinations	600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Internet Fax: TIFF-FX, TIFF-F, TIFF-51 ¹ Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) ¹ Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option), Super G3 fax (option) Up to 2,000 (combined scan destinations)	Supplies MX-80NTB/ MX-80NTC/ MX-80NTM MX-80NTY/ MX-62NVB/ MX-62NVS/ MX-62NVS/ MX-62NRS/
Printing Protocols	Standard: Color, monochrome, grayscale	

Standard Gmail connector, standard Exchange connector

3K 65-Sheet Staple Type	3,000-sheet console staple finisher (65-sheet stapling)
Output Trays	Top tray: 250 sheets (letter size, non-stapled)
output mayo	Lower tray: Moving offset tray (up to 3,000 letter size sheets)
Stapling Capacity	Up to 65 sheets (letter/statement)
Stapling Media	Plain paper, letter/legal/ledger size or mixed
Stapling Positions	1 front, 1 rear, or 2-point stitching
	1 rear (max. 5 sheets)
Manual Stapling	1 point (max. 65 sheets)
manual stapning	r point (max. 00 sincets)
3K 65-Shoot Stanle	:/Saddle Stitch Finisher (MX-FN35: option)
Type	3,000-sheet console staple finisher (65-sheet stapling)
Output Trays	Top tray: 250 sheets (letter size, non-stapled)
output mayo	Lower tray: Moving offset tray (up to 3,000 letter size sheets)
	Saddle tray: Up to 10 sets of 20 sheets
Stapling Capacity	Up to 65 sheets (letter/statement)
Stapling Media	Plain paper, letter/legal/ledger size or mixed
Stapling Positions	1 front, 1 rear, or 2-point stitching
Saddle Stitch	Center stitch/center fold (2 staples) letter/legal/ledger paper sizes
Max. Sets	Up to 10 sets (11-20 sheets per set)/15 sets (6-10 sheets per set)
Stanlalana Einiching	25 sets (1-5 sheet(s) per set)
	1 rear (max. 5 sheets)
Manual Stapling	1 point (max. 65 sheets)
Ontional Environmen	
Optional Equipmen	
MX-LC12	3,500-sheet Large Capacity Cassette (letter)
MX-LC13N	5,000-sheet Large Capacity 2-Drawer Air-Feed Tray (ledger)
MX-LCX3N	3,000-sheet Large Capacity Cassette (ledger) ¹
MX-LT10	Long Paper Feeding Tray
MX-MF11	500-sheet Multi-bypass Tray (for MX-LC13N)1
MX-FN21	4K Stacking 100-Sheet Staple Finisher1
MX-FN22	4K Stacking 100-Sheet Staple/Saddle Stitch Finisher ¹
MX-FN34	3K Stacking 65-sheet Staple Finisher
MX-FN35	3K Stacking 65-sheet Staple/Saddle Stitch Finisher
MX-GBCX2	GBC Smartpunch Pro
MX-CF11	2-Tray Inserter Unit ¹
MX-FD10	Multi-folding Unit ¹
MX-RB12N	Paper Pass Unit (for machine) ¹
MX-RB13	Relay Unit ¹
MX-RB14	Paper Pass Unit (for MX-LC13)1
MX-RB27	Curl Correction Unit ¹
MX-TM10	Trimmer Unit ¹
MX-PN13B	3-Hole Punch Unit (for MX-FN21/FN22)
MX-PN16B	3-Hole Punch Unit (for MX-FN34/FN35)
MX-SC11	Staple Cartridge (for MX-FN34/FN35)
MX-SC12	Staple Cartridge (for MX-FN35)
MX-SCX1	Staple Cartridge (for MX-FN22)
MX-SCX2	Staple Cartridge (for MX-FN21/FN22)
MX-TR14	Right Side Exit Tray
MX-TU14	Center Exit Tray
AR-SU1	Stamp Unit (requires AR-SV1 Stamp Cartridge)
AR-SV1	Stamp Cartridge (required for AR-SU1)
MX-PF10	Bar Code Font Kit
MX-FWX1	Internet Fax Expansion Kit
MX-FX15	Fax Expansion Kit
MX-AMX1L	Application Integration Module
MX-FR65U	Data Security Kit
IN DELE	<u>EL 01 D110</u>

C.,	n	n	lie

Supplies	
MX-80NTBA	Black Toner Cartridge
MX-80NTCA	Cyan Toner Cartridge
MX-80NTMA	Magenta Toner Cartridge
MX-80NTYA	Yellow Toner Cartridge
MX-62NVBA	Black Developer
MX-62NVSA	Cyan/Magenta/Yellow Developer
MX-62NRSA	Drum
MX-700HB	Toner Collection Container

¹ Some features require optional equipment. See your local dealer.

Fiery Color Print Server

Generic Vendor Interface Kit

Fiery Interface Kit

Status Indicator

² May vary depending on product configuration, machine settings and

operating and/or environmental conditions.

³ Go to www.sharpusa.com for a list of supported devices and operating systems.







Enhanced Email

Integration

SHARP ELECTRONICS CORPORATION 100 Paragon Drive, Montvale, NJ 07645 1-800-BE-SHARP • www.sharpusa.com

Printed in U.S.A. 07/21 • CPD-20-001







Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server, Excel, PowerPoint, OneDrive and SharePoint are registered trademarks of Microsoft Corporation. Android, Google Drive and Chromebook are registered trademarks of Google LLC. AirPrint is a registered trademark of Apple Inc. Adobe and PostScript are registered trademarks of Adobe Systems Inc. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. All other trademarks are the property of their respective owners.

SHARP

R